Revision: 07/21/2020 Supersedes Revision: 02/11/2019

		Supersedes Revision: 02/11/2019			
1. 1	PRODUCT AND COMPANY I	IDENTIFICATION			
Product Name:	Klean-Strip Boiled Linseed Oil				
Reference #:	1660C	5 1 1 1 1			
Company Name:	W. M. Barr 2105 Channel Avenue	Phone Number: (901)775-0100			
	Memphis, TN 38113	(901)// 5-0100			
Web site address:	www.wmbarr.com				
Emergency Contact:	3E 24 Hour Emergency Contact	(800)451-8346			
5 7	6 9				
Information:	W.M. Barr Customer Service	(800)398-3892			
Intended Use:	Wood finish and natural protectant				
Product Code:	GLO45, QLO45, CLO45, GKLO145, QK	KLO146			
	2. HAZARDS IDENTIFI	CATION			
GHS Signal Word:	None				
GHS Hazard Phrases:	No phrases apply.				
GHS Precautionary Phrases	No phrases apply.				
GHS Response Phrases:	No phrases apply.				
GHS Storage and Disposal	No phrases apply.				
Phrases:					
Medical Conditions Generall	y None known.				
Aggravated By Exposure:					
3. CO	MPOSITION/INFORMATION	ON INGREDIENTS			
CAS # Hazardous Com	oonents (Chemical Name) Concentrat	tion			
	t manganese salt {Linseed oil, 80.0 -100.0				
manganese and o		,0			
	4. FIRST AID MEAS	URES			
Emergency and First Aid					
Procedures:		move to fresh air. If not breathing, give artificial			
	respiration. If breathing is difficult, give oxygen. Get medical attention.				
	SKIN CONTACT:				
	wash with soap and water.				
	EYE CONTACT:				
	Flush eye with water for at least 15 minutes. Get immediate medical attention.				
	ridsh eye with water for at least 15 minutes. Get inimediate medical attention.				
	INGESTION:				
	Call your poison control center, hospital emergency room, or physician immediately for				
	instructions.				
Signs and Symptoms Of	See Potential Health Effects.				
Exposure:					

Page: 2 of 5

Supersedes Revision: 02/11/2020

	5. FIRE FIG	GHTING MEASURES		
Flammability Classification:	IIIB			
Flash Pt:	210.00 F			
Explosive Limits:	LEL: No data.	UEL: No data.		
Autoignition Pt:	> 651.00 F			
Suitable Extinguishing Media	:Use carbon dioxide, dr	ry powder, or foam.		
Fire Fighting Instructions:	Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame.			
Flammable Properties and Hazards:	RISK OF FIRE FROM PRODUCT.	SPONTANEOUS COMBUSTION EXISTS WI	TH THIS	
	handled properly. Imm Spread out all oily mat spot for 24 hours at ter water and detergent an tools, rags, paper, clot	other oily materials can cause spontaneous co nediately after use, and before disposal or stor erials outside to dry by flattening them out to the mperatures above 40 degrees F, or (2) Wash nd rinse. Repeat until you have removed all of hing, mops, and any other materials contacted spill. Make certain all wash and rinse water is	age, you MUST (1) neir full size in an airy them thoroughly with I from all clothes, I during use or as a	
Hazardous Combustion Products:	Carbon monoxide and	carbon dioxide.		
	6. ACCIDENTA	L RELEASE MEASURES		
Steps To Be Taken In Case		eople away; isolate hazard area and deny entr	v Stay upwind out	
Material Is Released Or Spilled:	of low areas, and vent	illate closed spaces before entering. Shut of ignes out of hazard area.		
	Small Spills: take up liquid with sand, earth or other noncombustible absorbent material and place in a plastic container where applicable.			
	Large Spills: dike far ahead of spill for later disposal.			
	7. HANDL	ING AND STORAGE		
Precautions To Be Taken in Handling:	Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.			
Precautions To Be Taken in Storing:	Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.			
8. EXP	OSURE CONTR	OLS/PERSONAL PROTECTION		
CAS # Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations	
68553-15-1 Linseed oil, cobalt manganese salt {Linseed oil, manganese and cobalt driers}	ACGIH TLV	TWA: 0.02 mg/m3 (resp.) 0.1 mg/m3 (IHL)		
Recommended Exposure Limits:	OSHA PELs vegetable oil mist ACGIH: TLV: 10 mg/m OSHA PEL - TWA: 15	CEIL: 5 mg/m3 n3 mg/m3, TWA: 5 mg/m3		
Licensed to W.M. Barr and Company			GHS format	

SAFETY DATA SHEET Klean-Strip Boiled Linseed Oil

	Supersedes Revision: 02/11/2019			
Respiratory Equipment (Specify Type):	For occasional consumer use - Use with adequate ventilation to prevent a build-up of vapors in confined areas. Open windows or position fans to provide cross ventilation. If a mild to strong odor is noticeable, ventilation is not adequate.			
	For OSHA controlled workplace and other regular users - Use only with adequate			
	ventilation under engineered air control systems designed to prevent exceeding appropriate TLVs.			
	For occasional use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirators. A dust mask does not provide protection against vapors.			
Eye Protection:	Safety glasses, chemical goggles, or face shields are recommended to safeguard agains potential eye contact, irritation, or injury. Contact lenses should not be worn while working with chemicals.			
Protective Gloves:	Wear impermeable gloves. Gloves contaminated with product should be discarded. Follow disposal procedures as described in Section 5 and Section 7.			
Other Protective Clothing:	Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.			
Engineering Controls (Ventilation etc.):	Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering STOP ventilation is inadequate. Leave area immediately and move to fresh air.			
Work/Hygienic/Maintenance Practices:				
	laundered separately. Follow procedures outlined in Section 7, Handling and Storage. Wash hands thoroughly after use and before eating, drinking, or smoking.			
9.	PHYSICAL AND CHEMICAL PROPERTIES			
Physical States:	[]Gas [X]Liquid []Solid			
Appearance and Odor:	Clear Amber			
pH:	No data.			
Melting Point:	No data.			
Boiling Point:	No data.			
Flash Pt:	210.00 F			
Evaporation Rate:	No data.			
Flammability (solid, gas):	No data available.			
Explosive Limits:	LEL: No data. UEL: No data.			
Vapor Pressure (vs. Air or mm Hg):	No data.			
Vapor Density (vs. Air = 1):	No data.			

SAFETY DATA SHEET Klean-Strip Boiled Linseed Oil

				Su	ipersedes Revis	ion: 02/11/2019
Specific Gravity (Water = 1):	0.93	at 77.0 F				
Solubility in Water:	No data.					
Octanol/Water Partition	No data.					
Coefficient:	> 651.00					
Autoignition Pt: Decomposition Temperature:						
Viscosity:	No data.					
				TV		
		STABILITY AN	ID REACTIVI	ΙY		
Stability:	Unstable					
Conditions To Avoid - Instability:	No data a	available.				
Incompatibility - Materials To Avoid:	Incompa	tible with strong oxidiz	zing agents.			
Hazardous Decomposition or Byproducts:	Decompo	osition may produce c	arbon monoxide al	nd carbon die	oxide.	
Possibility of Hazardous Reactions:	Will occu	ur [] Will not occ	ur [X]			
Conditions To Avoid - Hazardous Reactions:	No data a	available.				
	11. T	OXICOLOGICA		TION		
Toxicological Information:	CAS# 68 Standard Result: Sense O cochlear Nutritiona - Cutane	section 2 for acute an 3553-15-1: d Draize Test, Skin, Hu organs and Special Se structure or function. al and Gross Metaboli ous Toxicity, Proceed ademic Press, Inc., Lo	uman, 300.0 MG, 3 nses (Nose, Eye, E c:Weight loss or de ings of the 3rd Cor	Ear, and Tast ecreased we oference, 197	te): Ear: Cha ight gain. 76, D, V.A., a	nd P. L, New
CAS # Hazardous Com		Chemical Name)	NTP	IARC	ACGIH	OSHA
	lt mangane	ese salt {Linseed oil,	n.a.	n.a.	n.a.	n.a.
	12.	ECOLOGICAL	INFORMATI	ON		
		available.				
	13	DISPOSAL CO	NSIDERATIC	NS		
Waste Disposal Method:		in accordance with ap			al regulations	
	14.	. TRANSPORT	INFORMATIO	ON		
LAND TRANSPORT (US DOT						
DOT Proper Shipping Nam DOT Hazard Class: UN/NA Number: LAND TRANSPORT (Canadia TDG Shipping Name:		Regulated by 49 CFR				
UN Number: Hazard Class:			TDG Classifie	cation:		
Licensed to W.M. Barr and Company						GHS format

SAFETY DATA SHEET Klean-Strip Boiled Linseed Oil

Revision: 07/21/2020 Supersedes Revision: 02/11/2019

				Supe	rsedes Revision: 02/11/2019	
		15. REGULATOR	Y INFORMA			
EPA SARA (Su	perfund Ame	ndments and Reauthorization Act of	of 1986) Lists			
CAS # 68553-15-1	Hazardous C Linseed oil, c	Components (Chemical Name) obalt manganese salt {Linseed oil, and cobalt driers}	S. 302 (EHS) No	S. 304 RQ No	S. 313 (TRI) Yes-Cat. N096, N450	
CAS # 68553-15-1	Linseed oil, c	Components (Chemical Name) obalt manganese salt {Linseed oil, and cobalt driers}	Other US EPA or State Lists CAA HAP,ODC: Yes - Cat. TSCA: Inventory			
Additional Re Information	egulatory	This product is regulated by a and is subject to certain labe Act. These requirements different required for safety data shee information, including direction using the product.	ling requirements er from the class ts (SDS). The pro	s under the Federa ification criteria an oduct label also in	al Hazardous Substances d hazard information cludes other important	
		16. OTHER IN	FORMATIC)N		
Revision Date: Preparer Name:		07/21/2020 W.M. Barr EHS Dept (901)775-0100			
Additional Inf This Product:		out No data available.				
Company Policy or Disclaimer:		The information contained he as of the effective date show any kind. Employers should information gathered by them and completeness of informa and the safety and health of determined by the user to be and regulations.	n above. This inf use this informat and must make ation from all sour employees. Any	formation is furnis ion only as a supp independent dete rces to assure pro use of this data ar	ned without warranty of lement to other rmination of suitability per use of these materials nd information must be	