

COMPACT



M18™ 1/2" Compact Drill/Driver Kit
2606-22CT

Includes: 2606-20, (2) M18™ REDLITHIUM™ Compact Battery Packs, Multi-Voltage Charger, Carrying Case



M18™ 1/2" Hammer Drill/Driver Kit
2607-22CT

Includes: 2607-20, (2) M18™ REDLITHIUM™ Compact Battery Packs, Multi-Voltage Charger, Carrying Case



M18™ 1/4" Hex Impact Driver Kit
2656-22CT

Includes: 2656-20, (2) M18™ REDLITHIUM™ Compact Battery Packs, Belt Clip, Multi-Voltage Charger, Carrying Case



M18™ 1/4" 2-Speed Impact Driver Kit
2657-22

Includes: 2657-20, (2) M18™ REDLITHIUM™ XC Extended Capacity Battery Packs, Belt Clip, Multi-Voltage Charger, Carrying Case



M18™ 2-Tool Combo Kit
2697-22

Includes: 2607-20, 2656-20, (2) M18™ REDLITHIUM™ XC Extended Capacity Battery Packs, Multi-Voltage Charger, Contractor Bag



M18™ 2-Tool Combo Kit
2691-22

Includes: 2606-20, 2657-20, (2) M18™ REDLITHIUM™ Compact Battery Packs, Multi-Voltage Charger, Contractor Bag

BRUSHLESS



M18™ 1/2" Compact Drill/Driver Kit
2701-22CT

Includes: 2701-20, (2) M18™ REDLITHIUM™ 2.0 Compact Battery Packs, Multi-Voltage Charger, Carrying Case



M18™ 1/2" Compact Hammer Drill/Driver Kit
2702-22CT

Includes: 2702-20, (2) M18™ REDLITHIUM™ 2.0 Compact Battery Packs, Multi-Voltage Charger, Carrying Case



M18™ 1/4" Hex Impact Driver Kit
2750-22CT

Includes: 2750-20, (2) M18™ REDLITHIUM™ 2.0 Compact Battery Packs, Belt Clip, Multi-Voltage Charger, Carrying Case



M18™ 2-Tool Combo Kit
2798-22CT

Includes: 2701-20, 2750-20, (2) M18™ REDLITHIUM™ 2.0 Compact Battery Packs, Belt Clip, Multi-Voltage Charger, Carrying Case



M18™ 2-Tool Combo Kit
2799-22CX

Includes: 2702-20, 2750-20 (1) M18™ REDLITHIUM™ 2.0 Compact Battery Pack, (1) M18™ REDLITHIUM™ XC4.0 Extended Capacity Battery Pack, Belt Clip, Multi-Voltage Charger, Carrying Case

M18 FUEL



M18 FUEL™ 1/2" Drill/Driver Kit
2603-22

Includes: 2603-20, (2) M18™ REDLITHIUM™ XC4.0 Extended Capacity Battery Packs, Side Handle, Multi-Voltage Charger, Carrying Case



M18 FUEL™ 1/2" Hammer Drill/Driver Kit
2604-22

Includes: 2604-20, (2) M18™ REDLITHIUM™ XC4.0 Extended Capacity Battery Packs, Side Handle, Multi-Voltage Charger, Carrying Case



M18™ 1/4" Hex Impact Driver Kit
2653-22CT

Includes: 2653-20, (2) M18™ REDLITHIUM™ 2.0 Compact Battery Packs, Belt Clip, Multi-Voltage Charger, Carrying Case



M18™ 1/4" Hex Impact Driver Kit
2653-22

Includes: 2653-20, (2) M18™ REDLITHIUM™ XC4.0 Extended Capacity Battery Packs, Belt Clip, Multi-Voltage Charger, Carrying Case



M18 FUEL™ 2-Tool Combo Kit
2797-22

Includes: 2604-20, 2653-20, (2) M18™ REDLITHIUM™ XC4.0 Extended Capacity Battery Packs, Multi-Voltage Charger, Carrying Case



M18 DRILLING AND FASTENING SOLUTIONS



COMPACT

BEST-IN-CLASS PERFORMANCE AND DURABILITY



BRUSHLESS

MOST COMPACT, OVER 50% LONGER RUN-TIME



M18 FUEL

LONGER LIFE | **MORE POWER** | **MORE RUN-TIME**



WORLD LEADER IN CORDLESS INNOVATION



**FASTEST GROWING 18V
SYSTEM ON THE MARKET**
70+ TOOLS

M18

M18 ADVANTAGE

BUILT ON THE BEST FOUNDATION



REDLITHIUM™ BATTERIES

They last longer, think faster and work harder than all other professional LITHIUM-ION batteries. Built to withstand even the harshest environments, REDLITHIUM™ batteries deliver more work over the life of the battery, no matter what the job.



MILWAUKEE® HIGH PERFORMANCE MOTORS

Highly advanced motor technology boosts efficiency, generating more power from a compact power plant. That means the ultimate performance, durability and run-time comes in a smaller, lighter package.



REDLINK™ INTELLIGENCE

An advanced combination of hardware and software, REDLINK™ Intelligence enables full-circle communication between our batteries and tools, allowing for unmatched levels of performance, protection and productivity.

TO DELIVER

REVOLUTIONARY PERFORMANCE



M18 FUEL™ HOLE HAWG®
1/2" Right Angle Drill

USER DRIVEN INNOVATIONS



M18™ and M12™
Rapid Charge Station

DEDICATION TO THE TRADES



M18™ FORCE LOGIC™
High-Capacity Knockout Tool



CHOOSE THE RIGHT

M18™

COMPACT

M18™

BRUSHLESS



2656-22CT

2606-22CT



4-POLE MOTOR

- Compact design delivers higher performance vs. standard brushed motors

REDLITHIUM™ 1.5Ah BATTERY

- More work per charge and more work over the life of the battery than standard LITHIUM-ION and NiCd systems

BEST-IN-CLASS PERFORMANCE AND DURABILITY

Superior components provide best-in-class performance and durability in a wide range of drilling and fastening applications

2606-22CT SPECIFICATIONS	
Torque	500 in-lbs
Length	7-1/4"
Weight	3.8 lbs



2750-22CT

2701-22CT



BRUSHLESS MOTOR

- Provides more efficient energy delivery and 2X longer life than brushed motors

OVER 50% LONGER RUN-TIME

NUMBER OF 3" DECK SCREWS ON ONE CHARGE



2701 with 2.0 Ah pack



2606 with 1.5 Ah pack



REDLITHIUM™ 2.0 BATTERY

- Provides 33% more capacity than standard REDLITHIUM™ 1.5 Ah pack

MOST COMPACT, OVER 50% LONGER RUN-TIME

Compact, lightweight structure is designed for maximum control and balance while brushless motor provides extended run-time

2702-22CT SPECIFICATIONS	
Torque	500 in-lbs
Length	6-7/8"
Weight	3.8 lbs

TOOL FOR YOUR JOB

M18 FUEL™

DRIVEN TO OUTPERFORM.™

1 POWERSTATE™ BRUSHLESS MOTOR

- More robust design and high-grade magnets deliver up to 25% more power and 10X longer motor life



2653-22



2604-22

2 REDLINK PLUS™ INTELLIGENCE

- Most advanced electronic system on the market for maximum performance



3 REDLITHIUM™ XC4.0 BATTERY PACK

- Delivers up to 2X more run-time, 20% more power, and 2X more recharges than standard LITHIUM-ION batteries



LONGER LIFE

POWERSTATE™ BRUSHLESS MOTOR



No wearable parts, less friction, and less heat build up extends motor life

REDLINK PLUS™ INTELLIGENCE



Total system communication with overload protection increases tool life

REDLITHIUM™ XC4.0 BATTERY PACK



Superior pack construction provides the most durable pack on the market

MORE POWER

POWERSTATE™ Brushless Motor is optimized to deliver more power for frequent, high demand applications



LONGER LIFE | MORE POWER | MORE RUN-TIME

Unmatched performance, run-time and durability for the most demanding applications

2604-22 SPECIFICATIONS	
Torque	725 in-lbs
Length	8-1/10"
Weight	5.0 lbs

MORE RUN-TIME

REDLITHIUM™ XC4.0 Batteries combined with the POWERSTATE™ Brushless Motor and REDLINK PLUS™ Intelligence provide M18 FUEL™ up to 2X more run-time


















M18

COMPACT

BEST-IN-CLASS PERFORMANCE AND DURABILITY



	Milwaukee®	Makita	DeWalt
			
	2691-22	CT200RW	DCK280C2
Includes:	(2) REDLITHIUM™ with Fuel Gauge	(2) Standard Lithium No Fuel Gauge	(2) Standard Lithium No Fuel Gauge
			
Length	7.25"	7.56"	7.50"
Peak Torque	500 in-lbs	480 in-lbs	410 in-lbs
Chuck Type	1/2" Metal	1/2" Plastic	1/2" Plastic
Gear Case	All-Metal	Plastic	Plastic
			
Length	5.50"	5.48"	5.55"
RPM	0 – 2,750	0 – 2,300	0 – 2,800
IPM	0 – 3,450	0 – 3,200	0 – 3,200
Fastening Torque	1,500 in-lbs	1,420 in-lbs	1,400 in-lbs



Length	
Peak Torque	
Chuck Type	
Gear Case	
Length	
RPM	
IPM	
Fastening Torque	

M18

BRUSHLESS

**MOST COMPACT,
OVER 50% LONGER
RUN-TIME**

BRUSHLESS MOTOR



**METAL CHUCK AND
GEAR CASE**

**REDLITHIUM™ BATTERY
WITH FUEL GAUGE**



2750-20

**REDLITHIUM™
XC4.0 BATTERY
PACK**



■ Maximum performance and 2X run-time, ideal for high demand applications

**REDLITHIUM™
2.0 BATTERY
PACK**

■ Lightweight and compact, ideal for fastening applications

M18 FUEL

DRIVEN TO OUTPERFORM.™

LONGER | **MORE** | **MORE**
LIFE | POWER | RUN-TIME












**1 POWERSTATE™
BRUSHLESS
MOTOR**

**2 REDLINK PLUS™
INTELLIGENCE**

**3 REDLITHIUM™
XC4.0 BATTERY
PACKS**

2604-20

2653-20

Milwaukee®	Makita	DeWalt
 2799-22CX	 XT248	 DCK286D2
Includes: ■ (1) REDLITHIUM™ XC4.0 ■ (1) REDLITHIUM™ 2.0	Includes: ■ (2) 3.0 Standard Lithium	Includes: ■ (2) 2.0 Standard Lithium
 7.37"	 7.87"	 7.80"
550 in-lbs 1/2" Metal All-Metal	530 in-lbs 1/2" Plastic Plastic	362 in-lbs 1/2" Metal All-Metal
 5.45"	 5.87"	 5.55"
0 - 2,800 0 - 3,600 1,500 in-lbs	0 - 2,500 0 - 3,200 1,420 in-lbs	0 - 2,800 0 - 3,200 1,500 in-lbs

 2797-22	 725 IN-LBS PEAK TORQUE 5.0 lbs 8.10"	 XT257	 DCK296M2
	 1,600 IN-LBS FASTENING TORQUE 5.50"	 1,090 in-lbs Peak Torque 5.9 lbs 8.12"	 535 in-lbs Peak Torque 4.7 lbs 8.40"
	 1,420 in-lbs Fastening Torque 5.87"	 1,420 in-lbs Fastening Torque 5.87"	 1,500 in-lbs Fastening Torque 5.55"
	RPM 0 - 2,900 IPM 0 - 3,600	RPM 0 - 2,500 IPM 0 - 3,200	RPM 0 - 2,800 IPM 0 - 3,200

**PROPRIETARY
3-MODE DRIVE
CONTROL™**

