
# Scotch<sup>®</sup> Tough Duct Tape and Scotch<sup>®</sup> Duct Tape Products







# Scotch<sup>®</sup> Tough Duct Tape and Scotch<sup>®</sup> Duct Tape

Scotch<sup>®</sup> Duct Tape and Scotch<sup>®</sup> Tough Duct Tape products make all kinds of projects—from fixing heating and cooling systems to indoor and outdoor repairs—both quick and effective. Even though they're called "duct" tapes, Scotch<sup>®</sup> Duct Tape products are a universal solution for a variety of jobs and quick repairs.

The Scotch<sup>®</sup> Brand offers a full line of duct tapes to fit any job, from simple household repairs to professional HVAC applications. They are conformable, hold securely and tear easily off the roll. They are also weather resistant to withstand the harmful effects of sunlight and moisture.

#### Choosing the right duct tape

When selecting a duct tape, consider factors such as strength, weatherability, application temperature and thickness. Scotch<sup>®</sup> Duct Tape products are designed with specific applications in mind and perform best when used under correct conditions. Finding the best combination of features for a particular application is simple with easy-to-read packaging that indicates the relative strength and weatherability of each tape.



#### Strength

Strength is a combination of two factors: peel adhesion (the "stickiness" of the tape) and tensile strength (the "sturdiness" of the tape). Peel adhesion is the force required to remove the tape; the higher the peel adhesion, the stronger the bond between the tape and the surface. Tensile strength is an indication of how difficult it is to tear or break the tape. Overall, greater strength means high holding power with strong adhesion, resulting in repairs that last longer.

#### Weatherability

Weatherability is the degree to which the tape avoids drying and cracking and holds up when exposed to the sun, wind, moisture and extreme temperatures.

#### **Application temperature**

Application temperature affects the performance of the adhesive. Ideal application temperature should be between  $50^{\circ}$ F and  $100^{\circ}$ F.

#### Thickness

Thickness can also influence tape performance, although greater thickness does not necessarily mean better tape strength. Thinner tapes are more flexible and conformable, which can lead to a tighter, longer-lasting hold. The key to tape performance is the *quality* of the components, not the *quantity* of ingredients. Other brands may use additional filler material to artificially increase the loft of the tape. But with quality components and superior technology, a thinner tape can match or outperform a thicker tape.

Scotch<sup>®</sup> Duct Tape products are designed with the best combinations of strength, weatherability and thickness to work within a wide variety of applications.



For best performance, use Scotch<sup>®</sup> Duct Tape products within one year of the purchase date and store under normal conditions of  $70^{\circ}$ F (21°C) and 50% relative humidity.

#### Scotch® Tough Duct Tape

Scotch<sup>®</sup> Brand has revolutionized the duct tape category with a premium line of duct tape. This tape delivers the strength and versatility you've come to expect from Scotch<sup>®</sup> Duct Tape products, including easy application, reliable hold and high-quality results. Due to breakthrough, patented technology and innovative advanced features, Scotch<sup>®</sup> Tough Duct Tape products are unlike any other duct tape. From a strong, moisture-resistant tape that virtually disappears when applied to an extremely strong tape with a double-thick adhesive layer and waterproof backing, Scotch<sup>®</sup> Tough Duct Tape products deliver dependable results for demanding applications. These tapes have earned the right to be called Scotch<sup>®</sup> Tough Duct Tape.





# Scotch<sup>®</sup> Tough Duct Tape (cont.)



### Scotch<sup>®</sup> Tough Duct Tape-Extreme Hold

With its double-thick adhesive layer and strong woven scrim, this tape has maximum holding strength for the toughest jobs. And it stands up under extreme conditions, inside and outdoors. The waterproof backing resists moisture and an application temperature of up to 200°F makes it effective for long-lasting hold all year round.

#### **Recommended applications**

- Bundling items
- Outdoor repairs









Repairing appliances



### Scotch<sup>®</sup>Tough Duct Tape-Transparent

WEATHERABILITY

Breakthrough 3M technology made this tape the first transparent duct tape on the market. It virtually disappears when applied, making repairs less obvious. Not just for indoor use, this tape lasts longer than other 3M heavy-duty gray duct tapes. With an improved adhesive formulation, it has high stick and excellent holding power.

STRENGTH

#### **Recommended applications**

- Automotive
- Patio furniture
- Decorations
- Home electronics



### Scotch® Tough Duct Tape-Outdoor Painter's Clean Removal

Provides the aggressive adhesion and hassle-free clean-up professional painters want. 3M's sunlight blocker technology means clean removal for up to 14 days from most opaque surfaces. This tape is waterproof and has high adhesion, making it great for hard-to-stick surfaces.

#### **Recommended applications**

- Hanging heavyweight poly sheeting
- Rough surfaces like concrete, brick and stucco







Protecting rough surfaces

Covering trim



Discreetly repairing household items

Repairing outdoor furniture

# Scotch<sup>®</sup> Tough Duct Tape (cont.)



### Scotch<sup>®</sup> Tough Duct Tape-No Residue

WEATHERABILITY

••••• •••

With technology only available from 3M, this tape removes with little or no residue from most opaque surfaces for up to six months after application. Ideal for both permanent and temporary applications, whether indoor or outdoor. A maximum-strength duct tape without the messy cleanup.

STRENGTH

• • • • • • • MAX

#### **Recommended applications**

- Long-term repairs
- Securing cords and mats
- Hanging vinyl banners



### Scotch<sup>®</sup> Tough Duct Tape-Heavy Duty All-Weather

A heavy-duty duct tape designed for long-term, permanent, exterior repairs. Resists drying, cracking and peeling caused by the damaging effects of sunlight, heat, cold and moisture. Lasts three times longer than other 3M heavy-duty gray duct tapes in exterior conditions.

#### **Recommended applications**

- Long-lasting permanent repairs
- Heavy-duty patching
- Reinforcing/bundling





Securing cords

Repairing outdoor items



Securing mats

Reinforcing tools



### Scotch<sup>®</sup> Tough Duct Tape-Poly Hanging & Tarps

A professional-grade duct tape with exceptionally high shear strength. Ideal for vertical applications, it won't pull down. Conformable for a tight, long-lasting seal, this tape unwinds smoothly, tears easily by hand and is water resistant.

#### **Recommended applications**

- Hanging poly sheeting
- Repairing tarps
- Securing drop cloths





Hanging poly sheeting



Sealing areas

# Scotch<sup>®</sup> Duct Tape

#### Scotch<sup>®</sup> Duct Tape

Scotch<sup>®</sup> Duct Tape products offer reliable, flexible features for a wide variety of repairs and projects. Ranging from utility-grade, to professional-grade, to all-purpose colored duct tape perfect for discreet repairs, Scotch<sup>®</sup> Duct Tape products do the work you need and deliver the reliability you expect.





### Scotch<sup>®</sup> Pro Strength Duct Tape

A protessional-grade, multi-purpose duct tape suitable for light industrial and HVAC applications. Meets UL 723 standards.

#### **Recommended applications**

- Industrial and HVAC applications

- General repairs





Sealing areas

Installing and repairing



### Scotch<sup>®</sup> Multi-Use Duct Tape

An all-purpose duct tape that is excellent for a variety of applications in and around the home and shop.

STRENGTH

0000

#### **Recommended applications**

- Holding, securing and bundling
- Regripping handles
- Reinforcing





Securing loose items

Repairing household items

# Scotch<sup>®</sup> Duct Tape (cont.) / Tartan<sup>™</sup> Duct Tape



### Scotch<sup>®</sup> Colored Duct Tape

A multi-purpose duct tape available in bold colors for discreet repairs, crafts and decorating. These tapes have durable, waterproof backings and tear easily, apply smoothly and hold well—even on curved surfaces. Great for organization and color coding. Available in seven popular colors: black, white, red, blue, yellow, green and brown.

STRENGTH

000

#### **Recommended applications**

- Color coding/matching
- Decorating
- Temporary repairs





Color coding electronics

Labeling supplies



#### Scotch<sup>®</sup> Carded Duct Tape

Offered in short rolls (1.5 in x 5 yd), carded duct tapes are perfect for quick and easy jobs. Available in Colored, Multi-Use and Transparent tapes.

#### **Recommended applications**

- General repairs
- Decorating and color coding



Color matching



The end of ugly repairs



### Tartan<sup>™</sup> Utility Duct Tape

A utility-grade duct tape useful for light-duty repairs, bundling and holding.

#### **Recommended applications**

- Box sealing
- Bundling
- Lightweight or temporary repairs





Sealing boxes

Wrapping cords

#### Scotch<sup>®</sup> Stucco Tape

Scotch<sup>®</sup> Stucco Tape products stick securely and tear easily, making it quick and easy to prep buildings before the stucco process begins. They're tough enough to stand up to the damaging effects of the sun's UV rays. With a waterproof backing, they resist moisture, so a little rain won't cause your tape to fail. Scotch<sup>®</sup> Stucco Tape products resist tearing upon removal. With little or no adhesive transfer from wood, aluminum, vinyl and coated metal surfaces, cleanup is quick and easy.



Masking exteriors prior to stucco applications



## Scotch<sup>®</sup> Heavy Duty Poly Stucco Tape 3260

A heavy-duty poly stucco tape with 30-day removal engineered to last through multiple steps in traditional three-coat or hard-coat stucco and EIFS. This tape will resist the damaging effects of weather and stay put until the job is done. Prepping one time instead of three saves time and money.

#### **Recommended applications**

- Traditional three-coat stucco
- Hard-coat stucco
- EIFS



#### Scotch<sup>®</sup> Cloth Stucco Tape 3060

A cloth stucco tape with 3-day removal best suited for the one-coat stucco process.

#### **Recommended applications**

- One-coat stucco
- Hanging poly sheeting



### Scotch<sup>®</sup> Basic Painter's Duct Tape

An all-purpose, utility-grade tape that applies between  $40^{\circ}$ – $100^{\circ}$ F.

#### **Recommended applications**

- Bundling
- Patching
- Protecting
- Temporary repairs

# Scotch<sup>®</sup> Contractor Tape (cont.)

#### Scotch<sup>®</sup> Foil Tape

Effective sealing of duct joints, insulation and flexible duct connections minimizes air leaks in HVAC systems. This helps maximize efficiency and reduce heating and cooling costs. Scotch<sup>®</sup> Foil Tape products are engineered specifically to help maintain duct work integrity and optimize the cost-effectiveness of expensive HVAC systems.



Sealing duct work

- LISTED PRESS - MILATON

Inspection preparation



# Scotch<sup>®</sup> Printed Foil Tape 3326

A foil tape with printed backing for code compliance verification. Specially formulated acrylic adhesive bonds quickly and holds even at -25°F. Meets UL 181A and UL 181B-FX standards.

#### **Recommended applications**

- Building inspection preparation
- Extreme temperature applications
- HVAC performance optimization



#### Scotch<sup>®</sup> Foil Tape 3311

A conformable tape with aggressive adhesive to seal seams and joints for long-term durability. Soft aluminum foil conforms to irregular surfaces and provides a reliable vapor barrier. Flexible for application in tight spaces.

#### **Recommended applications**

- Ductwork maintenance
- Extreme temperature applications
- General repairs



# Scotch<sup>®</sup> High Temperature Duct Tape

A high-temperature duct tape with a maximum working temperature of 200°F. Designed for wrapping and attaching insulation to ductwork and pipes. Printed backing allows inspectors to verify that tape used in HVAC or ductwork is temperature-safe and UL 723 compliant.

#### **Recommended applications**

- Duct/refrigeration systems
- Wrapping/holding/splicing
- Reinforcing

# Guide to Selecting the Right Scotch<sup>®</sup> Tough Duct Tape

Find the product features or application you desire. When more than one tape is recommended ( $\star$ ), consider strength and weatherability needs to help determine the right tape for the project.

		SCOLCH TOUGH TAREAACCY		Scotch TOWER No Reserve		
	Scotch® Tough Duct Tape – Extreme Hold	Scotch® Tough Duct Tape – Transparent	Scotch® Tough Duct Tape – Outdoor Painter's Clean Removal	Scotch® Tough Duct Tape –No Residue	Scotch® Tough Duct Tape – Heavy Duty All-Weather	Scotch® Tough Duct Tape – Poly Hanging & Tarps
Strength	Exceptional	Excellent	Excellent	Excellent	Excellent	Great
Weatherability	Great	Great	Excellent	Exceptional	Excellent	Great
Performance						
Hand tears easily	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>	4	<i>v</i>	<i>v</i>
Applies smoothly	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>	4	<i>v</i>	<i>v</i>
Wraps and stretches	<ul> <li>✓</li> </ul>	V	<ul> <li>✓</li> </ul>	✓	<ul> <li>✓</li> </ul>	<i>v</i>
Durable waterproof backing	<ul> <li>✓</li> </ul>	V	<ul> <li>✓</li> </ul>	<b>v</b>	<ul> <li>✓</li> </ul>	<i>v</i>
Resists weathering in sun, wind and moisture	~		~	<b>v</b>	<i>v</i>	
Aggressive adhesive for quick and reliable use	~	V	~	~	~	~
High tensile strength for demanding applications	~	<i>v</i>	~	~	<b>~</b>	~
Meets UL 723 standards	<ul> <li>✓</li> </ul>		<ul> <li>✓</li> </ul>	<b>~</b>	<ul> <li>✓</li> </ul>	
High adhesion to polyethylene sheeting				¥		<ul> <li>✓</li> </ul>
Heavy-duty holding power	~	<b>v</b>	<ul> <li>✓</li> </ul>		<i>v</i>	
Holds in extreme temperatures (0–150°F)	~		~	~	<b>~</b>	
Transparent		<b>v</b>				
No residue removal (within stated time)			<ul> <li>✓</li> </ul>	¥		
Application						
Bundling and securing	*				•	
Repairs, patching and protecting	*	•		•	•	•
Labeling, marking and identifying				•	•	
Sealing boxes for storage, mailing and shipping	•	٠			•	
General indoor use		•		•		•
General outdoor use			•	•	*	
Temporary applications			•	*		
Permanent long-term applications	*				*	•
Regripping handles	•	٠		•		
Protecting rough surfaces like concrete, cement, grout and brick			*		•	•
Industrial and HVAC applications, like wrapping pipes						*
Hanging/draping polyethylene sheeting			*			*
Automotive applications	•	•		•		
Color coding, decorating and crafts		•				
Applications where appearance matters		*				
Reliable removal			*	*		



# *Guide to Selecting the Right Scotch<sup>®</sup> Duct Tape*

Find the product features or application you desire. When more than one tape is recommended ( $\star$ ), consider strength and weatherability needs to help determine the right tape for the project.

	The survey of th		No. 100	Tartan" P Reference of the second se
	Scotch <sup>®</sup> Pro Strength Duct Tape	Scotch® Multi-Use Duct Tape	Scotch® Colored Duct Tape	Tartan™ Utility Duct Tape
Strength	Great	Good	Good	Average
Weatherability	Great	Good	Good	Average
Performance				
Hand tears easily	<ul> <li>✓</li> </ul>	¥	~	<ul> <li>✓</li> </ul>
Applies smoothly	<ul> <li>✓</li> </ul>	¥	<b>v</b>	<ul> <li>✓</li> </ul>
Wraps and stretches	<ul> <li>✓</li> </ul>	<ul> <li></li> </ul>	~	<ul> <li>✓</li> </ul>
Durable waterproof backing	<ul> <li>✓</li> </ul>	<ul> <li></li> </ul>	<b>v</b>	
Resists weathering in sun, wind and moisture				
Aggressive adhesive for quick and reliable use	<u>ب</u>			
High tensile strength for demanding applications	~			
Meets UL 723 standards	<ul> <li>✓</li> </ul>			
High adhesion to polyethylene sheeting	<ul> <li>✓</li> </ul>			
Heavy-duty holding power				
Holds in extreme temperatures (0–150°F)				
Transparent				
No residue removal				
Application				
Bundling and securing	•	•		•
Repairs, patching and protecting	•	•		•
Labeling, marking and identifying			•	
Sealing boxes for storage, mailing and shipping		•		
General indoor use	•	*	•	
General outdoor use	•			
Temporary applications		•	•	•
Long-term applications	•			
Regripping handles		•		
Protecting rough surfaces like concrete, cement, grout and brick				
Industrial and HVAC applications, like wrapping pipes	*			
Hanging/draping polyethylene sheeting	•			
Automotive applications			•	
Color coding, decorating and crafts			*	
Applications where appearance matters			•	
Reliable removal				



# Scotch<sup>®</sup> Tough Duct Tape Product Specifications

Cat. No.	Description	Case Qty.	Stock Number	ltem UPC	Case UPC	Case Dim. (in.) (L x W x H)	Case Wt. (lbs.)	Case Cu/Ft.
Scotch®	Tough Duct Tape			·				
Scotch® Tou	gh Duct Tape – Extreme Hold							
2835-A	1.88 in x 35 yd	9	70-0050-2478-4	000-51141-25466-1	500-51141-25466-6	19.4 x 7 x 6.6	15.37	0.520
Scotch® Tou	gh Duct Tape – Transparent							
2105-CD	1.5 in x 5 yd, Carded	12	70-0050-2494-1	000-51131-99844-5	500-51131-99844-0	8.7 x 6.76 x 8.21	1.82	0.279
2120-A	1.88 in x 20 yd	12	70-0050-2414-9	000-51131-98011-2	000-51131-99847-6	9.4 x 9.4 x 6.4	5.17	0.327
2120-C	1.88 in x 20 yd	6	70-0050-2413-1	000-51131-98011-2	000-51131-99845-2	9.4 x 5.1 x 6.4	2.84	0.178
2120-B	1.88 in x 20 yd, Mini-Pallet	54	70-0050-2424-8	000-51131-98011-2	500-51131-99850-1	18.2 x 13.4 x 9.0	23.39	1.267
2120-G	1.88 in x 20 yd, Gravity Feed	12	70-0050-3332-2	000-51131-98011-2	000-51131-99851-3	6.38 x 31 x 5.75	6.84	0.658
2120-SK	1.88 in x 20 yd, Sidekick	30	70-0050-3286-0	000-51131-98011-2	000-51131-99852-0	13.1 x 5.3 x 23.9	7.01	0.955
Scotch® Tou	gh Duct Tape–Outdoor Painter's Clean I	Removal						
2545-A	1.88 x 45 yd	12	70-0050-3095-5	000-51141-90332-3	500-51141-90332-8	11.1 x 11.1 x 6.6	12.28	0.470
Scotch® Tou	gh Duct Tape–No Residue							
2415-A	1.88 in x 15 yd	12	70-0050-2454-5	000-51141-23260-7	500-51141-23260-2	9.4 x 9.4 x 6.6	6.02	0.340
2420-A	1.88 in x 20 yd	12	70-0050-1829-9	000-51131-99837-7	500-51131-99837-2	10 x 10 x 6.6	4.83	0.380
2420-SK	1.88 in x 20 yd, Sidekick	30	70-0050-3288-6	000-51131-99837-7	000-51131-99856-8	23.3 x 13.8 x 5.4	15.65	0.990
2420-G	1.88 in x 20 yd, Gravity Feed	12	70-0050-2490-9	000-51131-99837-7	000-51141-25476-0	6.38 x 31 x 5.75	6.84	0.658
P2425 (US)	1.88 in x 25 yd	12	70-0050-3390-0	000-51131-98154-6	500-51131-98154-1	16.3 x 6.1 x 8.4	5.81	0.482
P2425-B (Canada)	1.88 in x 25 yd, Mini-Pallet Display	54	70-0050-2826-4	000-51131-98154-6	500-51131-81116-5	16.6 x 13.3 x 18.9	27.22	2.405
Scotch® Tou	gh Duct Tape–Heavy Duty All-Weather							
2230-C	1.88 in x 30 yd	9	70-0050-2481-8	000-51131-98006-8	500-51131-98006-3	15.4 x 5.6 x 6.6	7.00	0.33
2245-A	1.88 in x 45 yd	12	70-0050-2482-6	000-51131-98236-9	500-51131-98236-4	11.7 x 11.7 x 6.6	10.53	0.52
2245-B	1.88 in x 45 yd, Mini-Pallet	54	70-0050-2824-9	000-51131-98236-9	500-51131-99853-2	17.6 x 12.7 x 18.3	47.00	2.37
Scotch® Tou	gh Duct Tape–Poly Hanging & Tarps							
2330-C	1.88 in x 30 yd	12	70-0050-2504-7	000-51141-25487-6	500-51141-25487-1	14.9 x 5.4 x 8.5	8.90	0.397
2360-A	1.88 in x 60 yd	24	70-0050-2496-6	000-51141-25480-7	500-51141-25480-2	18 x 12.2 x 8.5	31.59	1.080
2360-C	1.88 in x 60 yd	9	70-0050-2505-4	000-51141-25480-7	000-51141-25488-3	17.9 x 6.5 x 6.6	12.20	0.446

**IMPORTANT NOTICE TO PURCHASER:** All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, expressed or implied. Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith, NEITHER SELLER NOR MANUFACTURER SHALL BE LIABLE EITHER IN TORT OR IN CONTRACT FOR ANY LOSS OR DAMAGE, DIRECT, INCIDENTAL, OR CONSEQUENTIAL, ARISING OUT OF THE USE OF OR THE LIABILITY TO USE THE PRODUCT. No statement or recommendation not contained herein shall have any force or effect unless in an Agreement signed by officers of sellers or manufacturers.

# Scotch<sup>®</sup> Duct Tape Product Specifications

Cat. No.	Description	Case Qty.	Stock Number	ltem UPC	Case UPC	Case Dim. (in.) (L x W x H)	Case Wt. (lbs.)	Case Cu/Ft.
Scotch® Du	ıct Tape							
Scotch <sup>®</sup> Pro Str	ength Duct Tape							
1210-A	1.88 in x 10 yd	24	70-0714-7661-1	000-51131-98235-2	500-51131-98235-7	12.3 x 8.4 x 8.5	7.25	0.500
1230-A	1.88 in x 30 yd	24	70-0714-7647-0	000-51131-98010-5	000-51131-98222-2	14.9 x 10 x 8.5	17.79	0.730
1230-C	1.88 in x 30 yd	9	70-0714-1671-6	000-51131-98010-5	500-51131-98010-0	14.8 x 5.4 x 6.6	6.40	0.308
1260-A	1.88 in x 60 yd	24	70-0714-7648-8	000-51131-98005-1	000-51131-98223-9	18 x 12.2 x 8.5	31.59	1.080
1260-C	1.88 in x 60 yd	9	70-0714-1666-6	000-51131-98005-1	500-51131-98005-6	17.9 x 6.5 x 6.6	12.20	0.446
Scotch® Multi-L	lse Duct Tape					'		
1110-A	1.88 in x 10 yd	24	70-0714-8258-5	000-51131-98002-0	000-51135-80877-1	12 x 8.1 x 8.5	5.86	0.480
1110-C	1.88 in x 10 yd	12	70-0714-1663-3	000-51131-98002-0	500-51131-98002-5	11.5 x 4.7 x 8.5	3.05	0.264
1130-A	1.88 in x 30 yd	24	70-0714-7618-1	000-51131-98004-4	000-51131-98193-5	14.1 x 9.6 x 8.5	13.51	0.660
1130-C	1.88 in x 30 yd	12	70-0714-1665-8	000-51131-98004-4	500-51131-98004-9	13.8 x 5.4 x 8.5	6.86	0.369
1145-A	1.88 in x 45 yd	24	70-0714-7626-4	000-51131-98201-7	500-51131-98201-2	15.5 x 10.5 x 8.5	19.60	0.799
1160-A	1.88 in x 60 yd	24	70-0714-7627-2	000-51131-98009-9	000-51131-98202-4	16.9 x 11.4 x 8.5	25.95	0.942
1160-C	1.88 in x 60 yd	9	70-0714-1670-8	000-51131-98009-9	500-51131-98009-4	16.6 x 6.1 x 6.6	9.80	0.386
1160-B	1.88 in x 60 yd, Mini-Pallet	54	70-0715-0131-9	000-51131-98009-9	500-51131-99849-5	17.4 x 12.4 x 18.3	63.00	2.280
Scotch® Colore	d Duct Tape, 1.88 in x 60 yd							
1060-BLK-A	1.88 in x 60 yd, Black	9	70-0714-7637-1	000-51131-98212-3	500-51131-98212-8	16.9 x 6.1 x 6.6	8.66	0.400
1060-RED-A	1.88 in x 60 yd, Red	9	70-0714-7638-9	000-51131-98213-0	500-51131-98213-5	16.9 x 6.1 x 6.6	8.66	0.400
1060-WHT-A	1.88 in x 60 yd, White	9	70-0714-7639-7	000-51131-98214-7	500-51131-98214-2	16.9 x 6.1 x 6.6	8.66	0.400
1060-BLU-A	1.88 in x 60 yd, Blue	9	70-0714-7641-3	000-51131-98216-1	500-51131-98216-6	16.9 x 6.1 x 6.6	8.66	0.400
1060-BRN-A	1.88 in x 60 yd, Brown	9	70-0714-7642-1	000-51131-98217-8	500-51131-98217-3	16.9 x 6.1 x 6.6	8.66	0.400
1060-GRN-A	1.88 in x 60 yd, Green	9	70-0714-7643-9	000-51131-98218-5	500-51131-98218-0	16.9 x 6.1 x 6.6	8.66	0.400
1060-YLW-A	1.88" x 60 yd. Yellow	9	70-0714-7644-7	000-51131-98219-2	500-51131-98219-7	16.9 x 6.1 x 6.6	8.66	0.400
Scotch® Colore	d Duct Tape, 1.88 in x 20 yd							
1020-BLK-A	1.88 in x 20 yd, Black	12	70-0714-7619-9	000-51131-98008-2	000-51131-98194-2	8.9 x 8.9 x 6.6	5.44	0.300
1020-BLU-A	1.88 in x 20 yd, Blue	12	70-0714-7620-7	000-51131-98195-9	500-51131-98195-4	8.9 x 8.9 x 6.6	5.44	0.300
1020-BRN-A	1.88 in x 20 yd, Brown	12	70-0714-7621-5	000-51131-98196-6	500-51131-98196-1	8.9 x 8.9 x 6.6	5.44	0.300
1020-GRN-A	1.88 in x 20 yd, Green	12	70-0714-7622-3	000-51131-98197-3	500-51131-98197-8	8.9 x 8.9 x 6.6	5.44	0.300
1020-RED-A	1.88 in x 20 yd, Red	12	70-0714-7623-1	000-51131-98198-0	500-51131-98198-5	8.9 x 8.9 x 6.6	5.44	0.300
1020-WHT-A	1.88 in x 20 yd, White	12	70-0714-7624-9	000-51131-98199-7	500-51131-98199-2	8.9 x 8.9 x 6.6	5.44	0.300
1020-YLW-A	1.88 in x 20 yd, Yellow	12	70-0714-7625-6	000-51131-98200-0	500-51131-98200-5	8.9 x 8.9 x 6.6	5.44	0.300
Scotch® Colore	d Duct Tape, Inner Packs, 1.5 in	x 5 yd						
1005-DEAL	Deal - 48 rolls of #1005	1	70-0715-0130-1	500-51131-56380-8	500-51131-56380-8	27.3 x 12 x 8	8.57	1.510
1005-GRY-IP	1.5 in x 5 yd, Gray	72	70-0714-8908-5	000-51135-81079-8	500-51135-81079-3	9.9 x 7.5 x 10.3	0.47	0.440
1005-BLK-IP	1.5 in x 5 yd, Black	72	70-0714-7862-5	000-51135-80977-8	500-51135-80977-3	9.9 x 7.5 x 10.3	0.47	0.440
1005-BLU-IP	1.5 in x 5 yd, Blue	72	70-0714-7863-3	000-51135-80978-5	500-51135-80978-0	9.9 x 7.5 x 10.3	0.47	0.440
1005-BRN-IP	1.5 in x 5 yd, Brown	72	70-0714-7864-1	000-51135-80979-2	500-51135-80979-7	9.9 x 7.5 x 10.3	0.47	0.440
1005-GRN-IP	1.5 in x 5 yd, Green	72	70-0714-7865-8	000-51135-80980-8	500-51135-80980-3	9.9 x 7.5 x 10.3	0.47	0.440
1005-RED-IP	1.5 in x 5 yd, Red	72	70-0714-7866-6	000-51135-80981-5	500-51135-80981-0	9.9 x 7.5 x 10.3	0.47	0.440
1005-WHT-IP	1.5 in x 5 yd, White	72	70-0714-7867-4	000-51135-80982-2	500-51135-80982-7	9.9 x 7.5 x 10.3	0.47	0.440
1005-YLW-IP	1.5 in x 5 yd, Yellow	72	70-0714-7868-2	000-51135-80983-9	500-51135-80983-4	9.9 x 7.5 x 10.3	0.47	0.440

Continued on next page

# **Scotch**<sup>•</sup> **Duct Tape Product Specifications** (cont.)

Cat. No.	Description	Case Qty.	Stock Number	ltem UPC	Case UPC	Case Dim. (in.) (L x W x H)	Case Wt. (lbs.)	Case Cu/Ft.
Scotch® Carded	Duct Tape, 1.5 in x 5 yd							
1005-BLK-CD	1.5 in x 5 yd, Black	12	70-0714-8905-1	000-51135-81076-7	500-51135-81076-2	8.1 x 6.8 x 8.8	1.13	0.280
1005-RED-CD	1.5 in x 5 yd, Red	12	70-0714-8909-3	000-51135-81080-4	500-51135-81080-9	8.1 x 6.8 x 8.8	1.13	0.280
1005-WHT-CD	1.5 in x 5 yd, White	12	70-0714-8910-1	000-51135-81081-1	500-51135-81081-6	8.1 x 6.8 x 8.8	1.13	0.280
1105-CD	1.5 in x 5 yd, Multi-Use	12	70-0714-8907-7	000-51135-81078-1	500-51135-81078-6	8.1 x 6.8 x 8.8	1.13	0.280
Scotch® Co	ntractor Duct Tape							
Scotch® Heavy I	Duty Poly Stucco Tape							
3260-A	1.88 in x 60 yd	12	70-0714-9706-2	000-51131-93947-9	500-51131-93947-4	17.1 x 6.1 x 8.4	13.44	0.507
3260-BULK	1.88 in x 60 yd, Bulk	24	70-0714-9564-5	000-51131-93947-9	000-51135-81401-7	15.7 x 10.5 x 8.6	26.67	0.819
Scotch <sup>®</sup> Cloth S	tucco Tape							
3060-A	1.88 in x 60 yd	12	70-0714-7810-4	000-51131-92121-4	500-51131-92121-9	16.2 x 5.8 x 8.4	13.35	0.456
3060-BULK	1.88 in x 60 yd, Bulk	24	70-0714-9654-4	000-51131-92121-4	000-51135-81457-4	16.3 x 11 x 8.5	26.59	0.876
Scotch® Printed	Foil Tape							
3326-A	2.5 in x 60 yd	12	70-0713-5241-6	000-51131-85494-9	500-51131-85494-4	22 x 6.1 x 11	26.94	0.861
Scotch <sup>®</sup> Foil Tap	)e							
3311-10A	2 in x 10 yd	24	70-0713-5239-0	000-51131-85492-5	500-51131-85492-0	12 x 8.1 x 8.5	7.38	0.474
3311-50A	2 in x 50 yd	12	70-0713-5240-8	000-51131-85493-2	500-51131-85493-7	15.5 x 5.6 x 8.5	15.28	0.422
Scotch <sup>®</sup> High Te	mperature Duct Tape							
1160-HT-A	1.88 in x 60 yd	24	70-0714-7694-2	000-51131-98290-1	500-51131-98290-6	16.9 x 11.4 x 8.5	31.70	0.944
Scotch <sup>®</sup> Basic P	'ainter's Duct Tape							
P0030	1.88 in x 30 yd	24	70-0714-7556-3	000-51131-76943-4	000-51131-86810-6	13.8 x 9.3 x 8.2	21.16	0.608
Tartan™ Uti	lity Duct Tape							
955-K	1.88 in x 55 yd	24	70-0713-7743-9	000-51131-59094-6	500-51131-66241-9	15.7 x 10.5 x 8.6	28.14	0.818

#### Making your job a whole lot easier.



Construction and Home Improvement Markets Division

3M Center, Building 223-4S-02 St. Paul, MN 55144-1000 1 800 494-3552 www.3M.com

3M, Scotch, the Scotch Tough Duct Tape Design, Tartan and the Plaid Design are trademarks of 3M.

Please recycle. Printed in U.S.A. © 3M 2009. All rights reserved. 70-0713-3320-0